

# NATIONAL INSTITUTE FOR FUSION SCIENCE

## Status of LHD Control System Design

K. Yamazaki, H. Kaneko, Y. Taniguchi, O. Motojima and  
LHD Design Group

(Received – Nov. 11, 1991)

NIFS-122

Dec. 1991

## RESEARCH REPORT NIFS Series

This report was prepared as a preprint of work performed as a collaboration research of the National Institute for Fusion Science (NIFS) of Japan. This document is intended for information only and for future publication in a journal after some rearrangements of its contents.

Inquiries about copyright and reproduction should be addressed to the Research Information Center, National Institute for Fusion Science, Nagoya 464-01, Japan.

NAGOYA, JAPAN

*This paper is presented*

*at*

ICALEPCS'91

International Conference on Accelerator and  
Large Experimental Physics Control Systems  
Tsukuba, Japan,  
Nov.11-15,1991.

## STATUS OF LHD CONTROL SYSTEM DESIGN

K. Yamazaki, H. Kaneko, Y. Taniguchi, O. Motojima  
and LHD Design Group

National Institute for Fusion Science,  
Chikusa-ku, Nagoya 464-01, Japan

## *Abstract*

The present status of LHD (Large Helical Device) control system design is described, emphasizing on the plasma operation modes, the architecture of the LHD control system, the real-time plasma feedback system with PID or Fuzzy controllers and the construction schedule of the LHD control system. The conceptual and detailed designs are under way taking flexible and reliable operations for physics experiments into account.

**Keywords;** LHD, design study, supervisory control, plasma feedback control, PID control, fuzzy control, control building

## I. INTRODUCTION

The Large Helical Device (LHD) fusion system [1-3] using 1.6 GJ superconducting (SC) magnet is now under construction and its plasma experiments will be started in April, 1997. For this purpose, a new national institute (National Institute for Fusion Science) was established in May, 1989, and a new site (Toki city; one-hour drive from the present site in Nagoya) were prepared for these experiments. The main objectives of the LHD project are

(1) the study of the behavior of high temperature / high density plasmas using helical torus

device for comprehensive understanding of toroidal plasmas, and

(2) the exploration of the prospect to the steady-state helical system reactor.

The major plasma radius of LHD is 3.9 m, and the magnetic field strength is 3 Tesla (4 Tesla in the second experimental phase), which is the largest SC fusion machine now under construction. To keep flexible and reliable operations of this SC machine, a new control concept is required.

In this paper, the present status of the control system design for operations and experiments of the LHD system is presented.

## II. LHD MACHINE DESIGN AND CONTROL CONCEPT

The LHD system consists of one pair of SC helical coils, three pairs of SC poloidal coils, plasma vacuum vessel, cryostat, vacuum pumping system, electric power supplies, plasma production system, liquid helium refrigerator, three (NBI, ECH, ICRF) plasma heating systems, many plasma diagnostic systems and so on. All these equipments should be monitored and controlled mainly from the LHD Control Building. Especially, the control system should be flexible as a experimental machine and reliable as a large plant.

In contrast to present helical devices, the LHD is characterized by the steady-state operation using the superconducting helical coils and the built-in divertor, which requires the elaborate control scheme for operational safety and the new plasma feedback system for experimental flexibility.

These LHD machine and central control systems are schematically shown in Fig.1.

### III. LHD OPERATION SCENARIOS

The LHD machine operation is divided into three modes; all shut-down mode, facility operation mode and experiment mode. The experiment mode consists of the SC magnet operation mode and the plasma experiment mode (Fig.2). These modes are defined for clarifying the personnel entrance permission, magnetic field hazard and possible radiation exposure. Aside from software interlocks, the hardware interlock logic should be determined independent of these modes.

The SC magnet will be operated for about 10 hours per day, and the number of short-pulsed plasma operations will be typically 50 - 100 shots per day. After 3-year first-stage experiments, the magnetic field strength is upgraded from 3 Tesla to 4 Tesla, and thousands of D-beam / D-plasma operations are planned.

### IV. LHD CENTRAL CONTROL SYSTEM DESIGN

Based on the above-stated operation scenarios, the designed control system is composed of central experimental control system, and several sub-supervisory control systems such as torus machine control, heating machine control, diagnostic control and electric / cooling utility control systems, as shown in Fig.3. All sub-supervisory systems are connected by the local area network (LAN).

Within the facility operation mode, basically almost all equipments are operated by each subsystem controller. The vacuum pumping and wall conditioning including baking and glow discharge cleanings are controlled from the main torus control system, and each heating system is operated by each controller. On the other hand, in the experiment mode, main input parameters are controlled mainly from the engineering workstation of the central experimental control system. Overall system diagram of LHD control systems is given in Fig. 4.

The details of this system design is described in the separate paper [4].

## V. REAL-TIME PLASMA FEEDBACK SYSTEM DESIGN

According to the experimental requirements to make flexible plasma operations, an elaborate feedback control system with PID and Fussy logic control concepts [5,6] are under consideration.

The quantities for feedback are plasma current ( $I_p$ ), plasma position ( $\Delta$ ), plasma cross-sectional shape( $\kappa$ ), plasma density, heating power and so on. Especially, the former three variables are controlled by the power supplies of one-pair three-block helical coils (HF) and three-pair poloidal coils (OV,IS,IV). The basic concept of the plasma feedback system is shown in Fig.5 as a combination of the coil current feedback ( $I_{HF}, I_{OV}, I_{IS}, I_{IV}$ ), the vacuum magnetic field feedback ( $B_0, B_D, B_Q, \phi$ ) and the plasma feedback. These components are related to each other trough the magnetic configuration matrix. A typical system diagram of this scheme is shown in Figs.6 and 7(a).

Conventional PID controllers or min-max Fuzzy logic controllers with the center of gravity defuzzification method are analyzed including eddy current loops of the LHD system. The controllability of these two algorithms is compared in Fig.7(b) for the LHD Plasma operations. The details of this analysis will be published somewhere.

## VI. CONSTRUCTION SCHEDULE OF CONTROL SYSTEM AND BUILDINGS

The construction of LHD device itself has been started in 1991 as a 7-year project, and a first plasma operation is scheduled in 1997.

The basic design of the LHD central control system has been carried out in 1991-1992, and the detailed design will be done in 1993-1994. The proto-type R&D system for LHD machine operations and plasma controls is under preparation in 1991-1996 for the development of software. The LHD central control system will be constructed in 1995-1996.

In the new site the cryogenic building was firstly constructed in 1990 and the main LHD building is now under construction and will be completed in 1993. The LHD control building will be completed in F.Y.1995, and the central control devices will be installed there.

## VII. SUMMARY

The design of the control system for the Large Helical Device (LHD) system has been conducted for the flexible and reliable operations of the large experimental fusion systems. The LHD machine and its control system will be completed in March, 1997.

## ACKNOWLEDGEMENTS

The authors thank Dr. S.Hidekuma, S.Kubo, S.Okamura, S.Tanahashi, M.Fujiwara and engineers of Omika Works, Hitachi, Ltd. for stimulating discussions.

## REFERENCES

- [1] A. Iiyoshi, et al., Fusion Tech. 17(1991)169-187.
- [2] O.Motojima, et al., Plasma Physics and Controlled Nuclear Fusion Research, IAEA-CN-53/G-1-5(1990)
- [3] K.Yamazaki, et al., Plasma Physics and Controlled Nuclear Fusion Research, IAEA-CN-53/C-4-11(1990)
- [4] H.Kaneko, K.Yamazaki, Y.Taniguchi, this Conference.
- [5] L.A.Zadeh, Inform.Control, 8(1965)338.
- [6] E.H.Mamdani, Proc.IEE,121(1974)1585-1588




Figure 1 Schematic drawings of LH D machine (right) and its control system (left).






Figure 2 LHD operation mode




Figure 3 LHD control system architecture




Figure 4 System diagram of LHD control.




Figure 5 LHD plasma control concept




Figure 6 LHD Plasma control system diagram with PID controller.




Figure 7 Fuzzy logic control system

(a) Fuzzy algorithm

(b) Comparisons between PID and Fuzzy feedback responses.

Japanese F.Y.	1990	1991	1992	1993	1994	1995	1996	1997 -
Central Control System		Control System Design and R&D						LHD Plasma Operation
						Control System Construction		
					Control Building Construction			
LHD Machine		SC Machine, Heating and Diagnostics System Construction						
		LHD Building Construction						

Figure 8 Construction schedule of LHD machine and central control systems

## Recent Issues of NIFS Series

- NIFS-63     K.Konn., M.Mituhashi, Yoshi H.Ichikawa,*Soliton on Thin Vortex Filament*; Dec. 1990
- NIFS-64     K.Itoh, S.-I.Itoh and A.Fukuyama,*Impact of Improved Confinement on Fusion Research*; Dec. 1990
- NIFS -65     A.Fukuyama, S.-I.Itoh and K. Itoh,*A Consistency Analysis on the Tokamak Reactor Plasmas*; Dec. 1990
- NIFS-66     K.Itoh, H. Sanuki, S.-I. Itoh and K. Tani,*Effect of Radial Electric Field on  $\alpha$ -Particle Loss in Tokamaks*; Dec. 1990
- NIFS-67     K.Sato, and F.Miyawaki,*Effects of a Nonuniform Open Magnetic Field on the Plasma Presheath*; Jan.1991
- NIFS-68     K.Itoh and S.-I.Itoh,*On Relation between Local Transport Coefficient and Global Confinement Scaling Law*; Jan. 1991
- NIFS-69     T.Kato, K.Masai, T.Fujimoto,F.Koike, E.Källne, E.S.Marmor and J.E.Rice,*He-like Spectra Through Charge Exchange Processes in Tokamak Plasmas*; Jan.1991
- NIFS-70     K. Ida, H. Yamada, H. Iguchi, K. Itoh and CHS Group, *Observation of Parallel Viscosity in the CHS Heliotron/Torsatron* ; Jan.1991
- NIFS-71     H. Kaneko, *Spectral Analysis of the Heliotron Field with the Toroidal Harmonic Function in a Study of the Structure of Built-in Divertor* ; Jan. 1991
- NIFS-72     S. -I. Itoh, H. Sanuki and K. Itoh, *Effect of Electric Field Inhomogeneities on Drift Wave Instabilities and Anomalous Transport* ; Jan. 1991
- NIFS-73     Y.Nomura, Yoshi.H.Ichikawa and W.Horton, *Stabilities of Regular Motion in the Relativistic Standard Map*; Feb. 1991
- NIFS-74     T.Yamagishi, *Electrostatic Drift Mode in Toroidal Plasma with Minority Energetic Particles*, Feb. 1991
- NIFS-75     T.Yamagishi, *Effect of Energetic Particle Distribution on Bounce Resonance Excitation of the Ideal Ballooning Mode*, Feb. 1991
- NIFS-76     T.Hayashi, A.Tadei, N.Ohyabu and T.Sato, *Suppression of Magnetic Surface Breeding by Simple Extra Coils in Finite Beta Equilibrium of Helical System*; Feb. 1991
- NIFS-77     N. Ohyabu, *High Temperature Divertor Plasma Operation*; Feb. 1991
- NIFS-78     K.Kusano, T. Tamano and T. Sato, *Simulation Study of Toroidal Phase-Locking Mechanism in Reversed-Field Pinch Plasma*; Feb. 1991

- NIFS-79 K. Nagasaki, K. Itoh and S. -I. Itoh, *Model of Divertor Biasing and Control of Scrape-off Layer and Divertor Plasmas*; Feb. 1991
- NIFS-80 K. Nagasaki and K. Itoh, *Decay Process of a Magnetic Island by Forced Reconnection*; Mar. 1991
- NIFS-81 K. Takahata, N. Yanagi, T. Mito, J. Yamamoto, O. Motojima and LHDDesign Group, K. Nakamoto, S. Mizukami, K. Kitamura, Y. Wachi, H. Shinohara, K. Yamamoto, M. Shibui, T. Uchida and K. Nakayama, *Design and Fabrication of Forced-Flow Coils as R&D Program for Large Helical Device*; Mar. 1991
- NIFS-82 T. Aoki and T. Yabe, *Multi-dimensional Cubic Interpolation for ICF Hydrodynamics Simulation*; Apr. 1991
- NIFS-83 K. Ida, S.-I. Itoh, K. Itoh, S. Hidekuma, Y. Miura, H. Kawashima, M. Mori, T. Matsuda, N. Suzuki, H. Tamai, T. Yamauchi and JFT-2M Group, *Density Peaking in the JFT-2M Tokamak Plasma with Counter Neutral Beam Injection* ; May 1991
- NIFS-84 A. Iiyoshi, *Development of the Stellarator/Heliotron Research*; May 1991
- NIFS-85 Y. Okabe, M. Sasao, H. Yamaoka, M. Wada and J. Fujita, *Dependence of Au<sup>+</sup> Production upon the Target Work Function in a Plasma-Sputter-Type Negative Ion Source*; May 1991
- NIFS-86 N. Nakajima and M. Okamoto, *Geometrical Effects of the Magnetic Field on the Neoclassical Flow, Current and Rotation in General Toroidal Systems*; May 1991
- NIFS-87 S. -I. Itoh, K. Itoh, A. Fukuyama, Y. Miura and JFT-2M Group, *ELMy-H mode as Limit Cycle and Chaotic Oscillations in Tokamak Plasmas*; May 1991
- NIFS-88 N. Matsunami and K. Itoh, *High Resolution Spectroscopy of H<sup>+</sup> Energy Loss in Thin Carbon Film*; May 1991
- NIFS-89 H. Sugama, N. Nakajima and M. Wakatani, *Nonlinear Behavior of Multiple-Helicity Resistive Interchange Modes near Marginally Stable States*; May 1991
- NIFS-90 H. Hojo and T. Hatori, *Radial Transport Induced by Rotating RF Fields and Breakdown of Intrinsic Ambipolarity in a Magnetic Mirror*; May 1991
- NIFS-91 M. Tanaka, S. Murakami, H. Takamaru and T. Sato, *Macroscale Implicit, Electromagnetic Particle Simulation of Inhomogeneous and Magnetized Plasmas in Multi-Dimensions*; May 1991
- NIFS-92 S. - I. Itoh, *H-mode Physics, -Experimental Observations and Model Theories-*, *Lecture Notes, Spring College on Plasma Physics, May 27 - June 21 1991 at International Centre for Theoretical Physics ( IAEA UNESCO ) Trieste, Italy* ; Jun. 1991

- NIFS-93 Y. Miura, K. Itoh, S. - I. Itoh, T. Takizuka, H. Tamai, T. Matsuda, N. Suzuki, M. Mori, H. Maeda and O. Kardaun, *Geometric Dependence of the Scaling Law on the Energy Confinement Time in H-mode Discharges*; Jun. 1991
- NIFS-94 H. Sanuki, K. Itoh, K. Ida and S. - I. Itoh, *On Radial Electric Field Structure in CHS Torsatron / Heliotron*; Jun. 1991
- NIFS-95 K. Itoh, H. Sanuki and S. - I. Itoh, *Influence of Fast Ion Loss on Radial Electric Field in Wendelstein VII-A Stellarator*; Jun. 1991
- NIFS-96 S. - I. Itoh, K. Itoh, A. Fukuyama, *ELMy-H mode as Limit Cycle and Chaotic Oscillations in Tokamak Plasmas*; Jun. 1991
- NIFS-97 K. Itoh, S. - I. Itoh, H. Sanuki, A. Fukuyama, *An H-mode-Like Bifurcation in Core Plasma of Stellarators*; Jun. 1991
- NIFS-98 H. Hojo, T. Watanabe, M. Inutake, M. Ichimura and S. Miyoshi, *Axial Pressure Profile Effects on Flute Interchange Stability in the Tandem Mirror GAMMA 10*; Jun. 1991
- NIFS-99 A. Usadi, A. Kageyama, K. Watanabe and T. Sato, *A Global Simulation of the Magnetosphere with a Long Tail : Southward and Northward IMF*; Jun. 1991
- NIFS-100 H. Hojo, T. Ogawa and M. Kono, *Fluid Description of Ponderomotive Force Compatible with the Kinetic One in a Warm Plasma*; July 1991
- NIFS-101 H. Momota, A. Ishida, Y. Kohzaki, G. H. Miley, S. Ohi, M. Ohnishi, K. Yoshikawa, K. Sato, L. C. Steinhauer, Y. Tomita and M. Tuszewski, *Conceptual Design of D-<sup>3</sup>He FRC Reactor "ARTEMIS"*; July 1991
- NIFS-102 N. Nakajima and M. Okamoto, *Rotations of Bulk Ions and Impurities in Non-Axisymmetric Toroidal Systems*; July 1991
- NIFS-103 A. J. Lichtenberg, K. Itoh, S. - I. Itoh and A. Fukuyama, *The Role of Stochasticity in Sawtooth Oscillation*; Aug. 1991
- NIFS-104 K. Yamazaki and T. Amano, *Plasma Transport Simulation Modeling for Helical Confinement Systems*; Aug. 1991
- NIFS-105 T. Sato, T. Hayashi, K. Watanabe, R. Horiuchi, M. Tanaka, N. Sawairi and K. Kusano, *Role of Compressibility on Driven Magnetic Reconnection*; Aug. 1991
- NIFS-106 Qian Wen - Jia, Duan Yun - Bo, Wang Rong - Long and H. Narumi, *Electron Impact Excitation of Positive Ions - Partial Wave Approach in Coulomb - Eikonal Approximation*; Sep. 1991
- NIFS-107 S. Murakami and T. Sato, *Macroscale Particle Simulation of Externally Driven Magnetic Reconnection*; Sep. 1991
- NIFS-108 Y. Ogawa, T. Amano, N. Nakajima, Y. Ohyabu, K. Yamazaki,



S. P. Hirshman, W. I. van Rij and K. C. Shaing, *Neoclassical Transport Analysis in the Banana Regime on Large Helical Device (LHD) with the DKES Code*; Sep. 1991

- NIFS-109 Y. Kondoh, *Thought Analysis on Relaxation and General Principle to Find Relaxed State*; Sep. 1991
- NIFS-110 H. Yamada, K. Ida, H. Iguchi, K. Hanatani, S. Morita, O. Kaneko, H. C. Howe, S. P. Hirshman, D. K. Lee, H. Arimoto, M. Hosokawa, H. Idei, S. Kubo, K. Matsuoka, K. Nishimura, S. Okamura, Y. Takeiri, Y. Takita and C. Takahashi, *Shafranov Shift in Low-Aspect-Ratio Heliotron / Torsatron CHS* ; Sep 1991
- NIFS-111 R. Horiuchi, M. Uchida and T. Sato, *Simulation Study of Stepwise Relaxation in a Spheromak Plasma* ; Oct. 1991
- NIFS-112 M. Sasao, Y. Okabe, A. Fujisawa, H. Iguchi, J. Fujita, H. Yamaoka and M. Wada, *Development of Negative Heavy Ion Sources for Plasma Potential Measurement* ; Oct. 1991
- NIFS-113 S. Kawata and H. Nakashima, *Tritium Content of a DT Pellet in Inertial Confinement Fusion* ; Oct. 1991
- NIFS-114 M. Okamoto, N. Nakajima and H. Sugama, *Plasma Parameter Estimations for the Large Helical Device Based on the Gyro-Reduced Bohm Scaling* ; Oct. 1991
- NIFS-115 Y. Okabe, *Study of Au<sup>-</sup> Production in a Plasma-Sputter Type Negative Ion Source* ; Oct. 1991
- NIFS-116 M. Sakamoto, K. N. Sato, Y. Ogawa, K. Kawahata, S. Hirokura, S. Okajima, K. Adati, Y. Hamada, S. Hidekuma, K. Ida, Y. Kawasumi, M. Kojima, K. Masai, S. Morita, H. Takahashi, Y. Taniguchi, K. Toi and T. Tsuzuki, *Fast Cooling Phenomena with Ice Pellet Injection in the JIPP T-IIU Tokamak*; Oct. 1991
- NIFS-117 K. Itoh, H. Sanuki and S. -I. Itoh, *Fast Ion Loss and Radial Electric Field in Wendelstein VII-A Stellarator*; Oct. 1991
- NIFS-118 Y. Kondoh and Y. Hosaka, *Kernel Optimum Nearly-analytical Discretization (KOND) Method Applied to Parabolic Equations <<KOND-P Scheme>>*; Nov. 1991
- NIFS-119 T. Yabe and T. Ishikawa, *Two- and Three-Dimensional Simulation Code for Radiation-Hydrodynamics in ICF*; Nov. 1991
- NIFS-120 S. Kawata, M. Shiromoto and T. Teramoto, *Density-Carrying Particle Method for Fluid* ; Nov. 1991
- NIFS-121 T. Ishikawa, P. Y. Wang, K. Wakui and T. Yabe, *A Method for the High-speed Generation of Random Numbers with Arbitrary Distributions*; Nov. 1991