



INTERNATIONAL ATOMIC ENERGY AGENCY

18th IAEA Fusion Energy Conference
Sorrento, Italy, 4 to 10 October 2000

IAEA-CN-77/ FTP1/09

NATIONAL INSTITUTE FOR FUSION SCIENCE

Development of Manufacturing Technology for High Purity Low Activation Vanadium Alloys

Muroga, T., Nagasaka, T.

(Received - Sep. 1, 2000)

NIFS-646

Sep. 2000

This report was prepared as a preprint of work performed as a collaboration research of the National Institute for Fusion Science (NIFS) of Japan. This document is intended for information only and for future publication in a journal after some rearrangements of its contents.

Inquiries about copyright and reproduction should be addressed to the Research Information Center, National Institute for Fusion Science, Oroshi-cho, Toki-shi, Gifu-ken 509-02 Japan.

RESEARCH REPORT NIFS Series

This is a preprint of a paper intended for presentation at a scientific meeting. Because of the provisional nature of its content and since changes of substance or detail may have to be made before publication, the preprint is made available on the understanding that it will not be cited in the literature or in any way be reproduced in its present form. The views expressed and the statements made remain the responsibility of the named author(s); the views do not necessarily reflect those of the government of the designating Member State(s) or of the designating organization(s). In particular, neither the IAEA nor any other organization or body sponsoring this meeting can be held responsible for any material reproduced in this preprint.

TOKI, JAPAN



INTERNATIONAL ATOMIC ENERGY AGENCY

**18th IAEA Fusion Energy Conference
Sorrento, Italy, 4 to 10 October 2000**

IAEA-CN-77/ FTP1/09

**Development of Manufacturing Technology for High Purity
Low Activation Vanadium Alloys**

T. Muroga and T. Nagasaka

National Institute for Fusion Science, Oroshi, Toki, Gifu 509-5292, Japan

This is a preprint of a paper intended for presentation at a scientific meeting. Because of the provisional nature of its content and since changes of substance or detail may have to be made before publication, the preprint is made available on the understanding that it will not be cited in the literature or in any way be reproduced in its present form. The views expressed and the statements made remain the responsibility of the named author(s); the views do not necessarily reflect those of the government of the designating Member State(s) or of the designating organization(s). In particular, neither the IAEA nor any other organization or body sponsoring this meeting can be held responsible for any material reproduced in this preprint.

Development of Manufacturing Technology for High Purity Low Activation Vanadium Alloys

T. Muroga and T. Nagasaka

National Institute for Fusion Science, Oroshi, Toki, Gifu 509-5292, Japan

e-mail contact of main author : muroga@nifs.ac.jp

Abstract. Vanadium alloys are promising candidate low activation materials for structural components of fusion reactors. Establishment of industrial infrastructure is, however, remaining to be a critical issue because of lack of other large scale commercial application. In the present study, technologies for large scale manufacturing of high purity V-4Cr-4Ti alloy were developed by improving the present commercial production processes of vanadium metal, and optimizing alloying, plating, sheeting and wiring techniques. Efforts were focused on reducing carbon, nitrogen and oxygen impurities, which are known to deteriorate workability, weldability and radiation resistance of vanadium alloys. Especially, improvements were made in atmospheric control during calcination, aluminothermic reduction, vacuum arc remelting, and hot forging and rolling. A medium size (30kg) high purity V-4Cr-4Ti ingot was produced and designated as NIFS-HEAT-1. The specimens produced out of the ingot are being submitted to Round-robin tests by Japanese universities. Two larger ingots of 166kg in total weight were produced recently (NIFS-HEAT-2(A) and (B)). By these efforts, technology for fabricating large V-4Cr-4Ti alloy products with <100ppm C, ~100ppm N and 100~200ppm O was demonstrated.

1. Introduction

Vanadium alloys are promising candidate fusion structural materials because of their low activation properties, high temperature strength, good resistance against neutron irradiation and excellent compatibility with liquid Li[1,2]. However, establishment of industrial infrastructure is remaining to be a critical issue for vanadium alloys, because of lack of other large scale commercial application.

Recent studies on vanadium alloys showed that the increase in interstitial impurities such as carbon, nitrogen and oxygen results in loss of workability[3], degradation of weldability[4] and enhanced loss of elongation by irradiation[5]. Thus, in the development of technology for large-scale production of vanadium alloys, suppression of the impurity levels is essential. US-DOE had a program for casting 500 and 1200 kg ingots of V-4Cr-4Ti alloy for fusion research [6,7]. The products fabricated from the ingots were characterized with and without irradiation. Those ingots had impurity levels of <100ppm C, 50-150ppm N and 300-400ppm O.

National Institute for Fusion Science (NIFS) is promoting a program for large scale manufacturing of a V-4Cr-4Ti alloy by collaboration with Japanese industry[8]. The program aims to demonstrate technical feasibility of fabricating a large ingot of high-purity V-4Cr-4Ti alloy. Also intended are to investigate impurity transportation during the fabrication process and to utilize the resulting ingots for Round-robin tests by Japanese Universities. This paper is an overview of the progress in the program.

2. Development of Manufacturing Technology

2.1 Purification of the Present Commercial Vanadium Metal

In this program, carbon and nitrogen levels of the present commercial metal vanadium were reduced by improving the manufacturing processes, first of all. Fig. 1 compares the conventional and the improved process of the vanadium metal production. Particular efforts

were made for inhibiting nitrogen pick-up during the calcination and the aluminothermic reduction processes. Also improved was the purity of the Al reduction agent. By these improvements, carbon and nitrogen levels were reduced from ~300 to ~100ppm and from 400-700ppm to ~100ppm, respectively.

2.2 Alloying into V-4Cr-4Ti

Several alloying techniques were investigated to produce V-4Cr-4Ti minimizing the impurity pick-up. The Vacuum Arc Remelting (VAR) technique with some improvements in atmosphere was selected as the most suitable method of alloying. A 30kg V-4Cr-4Ti ingot was made by the VAR technique, whose impurity levels were ~60ppm C, ~100ppm N and ~180ppm O. The alloy ingot was designated as NIFS-HEAT-1.

2.3 Fabrication into Plates, Sheets and Wires

The ingot was canned into a case of 304 stainless steel followed by hot forging, hot rolling and cold rolling. The geometry of the case, especially the thickness of the edge part, was carefully designed so as not to break during the deformation. Plates of 6.6 and 4.0 mm thick and sheets of 0.25 mm thick were made out of the ingot. Some of the plates and wires produced are shown in Fig.2.




FIG.1. Conventional and improved production processes of vanadium metal.




FIG.2. Plates and wires produced out of the high purity V-4Cr-4Ti ingot (NIFS-HEAT-1).

The thermal treatment condition was investigated to obtain homogeneous distribution of grains whose sizes range from 0.02 to 0.03 mm. 1273 K and 2 hours was selected as the optimized condition for the plates of 6.6 and 4.0 mm thick. The increase in the impurity level was small during the fabrication and the thermal treatment.

The nitrogen and oxygen contents of vanadium metal, V-4Cr-4Ti ingot and plates fabricated from the ingot are plotted in Fig. 3 for the present and the US-DOE fabrications. The nitrogen and oxygen levels of the products of the present study are comparable to and almost half of those of the US-DOE program, respectively. In the US-DOE program, the rolling into plates and sheets was carried out at around 400C[7]. The fact that rolling of hot-rolled blocks to plates and sheets was possible at room temperature for the present alloy demonstrates a merit of simplifying the fabrication process by reducing the levels of interstitial impurities.

Other minor impurities were detected by glow discharge mass spectrometry. The levels of Nb and Mo, which are particularly important elements because they produce long-lived radioactivity by fusion neutron irradiation, were estimated to be 6-7 and 20-25ppm, respectively. The Nb level of 6-7ppm is in contrast to 106ppm for the ingots produce by the US-DOE program[7]. The high level of Nb in the US-DOE ingots was due to the fact that the facility used was also used for fabrication of Nb alloys, which is not the case for the present program.

The plates, sheets and wires fabricated from NIFS-HEAT-1 were submitted to the Round-robin tests by Japanese universities. The tests include chemical analyses, physical and thermal properties, mechanical properties, hydrogen retention properties, compatibility, performance as a plasma-facing material, key technology for component fabrication such as welding, coating, piping and so on. The products are also used for international collaborations. Welding tests were carried out, under the framework of Japan-USA collaboration program (JUPITER), at ORNL and ANL using Gas Tungsten Arc (GTA) welding and Laser welding techniques, respectively. Improvement in ductility of weld metals by reducing the oxygen level was confirmed[9].

3. Fabrication of Larger Ingots

A second fabrication of ingots of 166kg in total weight was carried out by using the technology developed for the fabrication of NIFS-HEAT-1. They are a pair of ingots of 80kg and 86 kg, designated as NIFS-HEAT-2(A) and (B), respectively. The outward appearance of the ingots after removing the surface layer is shown in Fig. 4. The impurity levels are O:106ppm and N:131ppm for NIFS-HEAT-2(A) and O:127ppm and N:126ppm for NIFS-HEAT-2(B). Thus the oxygen level of NIFS-HEAT-2 was even lower than that of NIFS-HEAT-1. The data are also shown in Fig. 3.

4. Conclusion

The technology for fabricating large V-4Cr-4Ti alloy products with <100ppm C, ~100ppm N and 100~200ppm O was demonstrated.




FIG. 3. Impurity levels of vanadium metal, V-4Cr-4Ti alloy ingot (NIFS-HEAT-1 and NIFS-HEAT-2) and plates fabricated from NIFS-HEAT-1. The impurity levels of the products in the US-DOE program[7] are shown for comparison.




FIG. 4. V-4Cr-4Ti ingots produced by the second fabrication after removing surfaces.
NIFS-HEAT-2(A) (top) and NIFS-HEAT-2(B) (bottom).

Acknowledgements

The authors are grateful to Messrs. A. Kawabata of Taiyo Koko Co. Ltd., M. Sakata of Daido Steel Co. Ltd, M. Imamura and S. Tomiyama of Daido Bunseki Research Co. Ltd for helping to conduct the experiments. Thanks should also go to Drs. A. Iiyoshi and M. Fujiwara, the former and the present director general of NIFS, respectively, for supporting the present research program.

References

- [1] Zinkle, S.J., Matsui, H., Smith, D.L., Rowcliffe, A.F., van Osch, E., Abe, K., and Kazakov, V.A., J. Nucl. Mater. **258-263** (1998) 205.
- [2] Matsui, H., Fukumoto, K., Smith, D.L., Chung, H.M., van Witzenburg W., and Votinov, S.N., J. Nucl. Mater. **233-237** (1996) 92.
- [3] Diercks, D.R. and Loomis, B.A., J. Nucl. Mater. **141-143** (1986) 1117.
- [4] Grossbeck, M.L., King, J.F., Alexander, D.J., Rice P.M., and Goodwin, G.M., J. Nucl. Mater. **258-263** (1998) 1369.
- [5] Satou, M., Chuto, T., Hasegawa, A., and Abe, K., ASTM STP **1366** (2000) 1197.
- [6] Smith, D.L., Chung, H.M., Loomis, B.A., and Tsai, H.-C., J. Nucl. Mater. **233-237** (1996) 356.
- [7] Johnson, W.R., and Smith, J.P., J. Nucl. Mater. **258-263** (1998) 1425.
- [8] Muroga, T., Nagasaka, T., Iiyoshi, A., Kawabata, A., Sakurai, S., and Sakata, M., J. Nucl. Mater. (in press).
- [9] Nagasaka, T., Grossbeck, M. L., Muroga, T., and King, J. F., to be published.

Recent Issues of NIFS Series

- NIFS-583 M. Yokoyama, N. Nakajima, M. Okamoto, Y. Nakamura and M. Wakatani,
Roles of Bumpy Field on Collisionless Particle Confinement in Helical-Axis Heliotrons;
Feb 1999
- NIFS-584 T.-H. Watanabe, T. Hayashi, T. Sato, M. Yamada and H. Ji,
Modeling of Magnetic Island Formation in Magnetic Reconnection Experiment;Feb 1999
- NIFS-585 R. Kumazawa, T. Mutoh, T. Seki, F. Shinpo, G. Nomura, T. Ido, T. Watari, Jean-Marie Noterdaeme and Yangping Zhao,
Liquid Stub Tuner for Ion Cyclotron Heating;Mar 1999
- NIFS-586 A. Sagara, M. Ima, S. Inagaki, N. Inoue, H. Suzuki, K. Tsuzuki, S. Masuzaki, J. Miyazawa, S. Monta, Y. Nakamura, N. Noda, B. Peterson, S. Sakakibara, T. Shimozuma, H. Yamada, K. Akaishi, H. Chikaraishi, H. Funaba, O. Kaneko, K. Kawahata, A. Komon, N. Ohyaibu, O. Motojima, LHD Exp Group 1, LHD Exp Group 2,
Wall Conditioning at the Starting Phase of LHD;Mar 1999
- NIFS-587 T. Nakamura and T. Yabe,
Cubic Interpolated Propagation Scheme for Solving the Hyper-Dimensional Vlasov-Poisson Equation in Phase Space;Mar 1999
- NIFS-588 W.X. Wnag, N. Nakajima, S. Murakami and M. Okamoto,
An Accurate δf Method for Neoclassical Transport Calculation ;Mar. 1999
- NIFS-589 K. Kishida, K. Araki, S. Kishiba and K. Suzuki,
Local or Nonlocal? Orthonormal Divergence-free Wavelet Analysis of Nonlinear Interactions in Turbulence;Mar. 1999
- NIFS-590 K. Araki, K. Suzuki, K. Kishida and S. Kishiba,
Multiresolution Approximation of the Vector Fields on T^3 ;Mar. 1999
- NIFS-591 K. Yamazaki, H. Yamada, K.Y. Watanabe, K. Nishimura, S. Yamaguchi, H. Nakanishi, A. Komon, H. Suzuki, T. Mito, H. Chikaraishi, K. Murai, O. Motojima and the LHD Group,
Overview of the Large Helical Device (LHD) Control System and Its First Operation;Apr. 1999
- NIFS-592 T. Takahashi and Y. Nakao,
Thermonuclear Reactivity of D-T Fusion Plasma with Spin-Polarized Fuel;Apr 1999
- NIFS-593 H. Sugama,
Damping of Toroidal Ion Temperature Gradient Modes;Apr 1999
- NIFS-594 Xiaodong Li,
Analysis of Crowbar Action of High Voltage DC Power Supply in the LHD ICRF System;
Apr. 1999
- NIFS-595 K. Nishimura, R. Horuchi and T. Sato,
Drift-kink instability induced by Beam Ions in Field-reversed Configurations;Apr 1999
- NIFS-596 Y. Suzuki, T.-H. Watanabe, T. Sato and T. Hayashi,
Three-dimensional Simulation Study of Compact Toroid Plasmoid Injection into Magnetized Plasmas; Apr 1999
- NIFS-597 H. Sanuki, K. Itoh, M. Yokoyama, A. Fujisawa, K. Ida, S. Toda, S.-I. Itoh, M. Yagi and A. Fukuyama,
Possibility of Internal Transport Barrier Formation and Electric Field Bifurcation in LHD Plasma;
May 1999
- NIFS-598 S. Nakazawa, N. Nakajima, M. Okamoto and N. Ohyaibu,
One Dimensional Simulation on Stability of Detached Plasma in a Tokamak Divertor;June

- NIFS-599 S. Murakami, N. Nakajima, M. Okamoto and J. Nhrenberg,
Effect of Energetic Ion Loss on ICRF Heating Efficiency and Energy Confinement Time in Heliotrons;
June 1999
- NIFS-600 R. Horiuchi and T. Sato,
Three-Dimensional Particle Simulation of Plasma Instabilities and Collisionless Reconnection in a Current Sheet; June 1999
- NIFS-601 W. Wang, M. Okamoto, N. Nakajima and S. Murakami,
Collisional Transport in a Plasma with Steep Gradients; June 1999
- NIFS-602 T. Mutoh, R. Kumazawa, T. Saki, K. Saito, F. Simpo, G. Nomura, T. Watari, X. Jikang, G. Cattanei, H. Okada, K. Ohkubo, M. Sato, S. Kubo, T. Shimozuma, H. Idei, Y. Yoshimura, O. Kaneko, Y. Takeiri, M. Osakabe, Y. Oka, K. Tsumori, A. Komori, H. Yamada, K. Watanabe, S. Sakakibara, M. Shoji, R. Sakamoto, S. Inagaki, J. Miyazawa, S. Morita, K. Tanaka, B.J. Peterson, S. Murakami, T. Minami, S. Ohdachi, S. Kado, K. Narihara, H. Sasao, H. Suzuki, K. Kawahata, N. Ohya, Y. Nakamura, H. Funaba, S. Masuzaki, S. Muto, K. Sato, T. Monsaki, S. Sudo, Y. Nagayama, T. Watanabe, M. Sasao, K. Ida, N. Noda, K. Yamazaki, K. Akaishi, A. Sagara, K. Nishimura, T. Ozaki, K. Toi, O. Motojima, M. Fujiwara, A. Iiyoshi and LHD Exp. Group 1 and 2,
First ICRF Heating Experiment in the Large Helical Device; July 1999
- NIFS-603 P.C. de Vries, Y. Nagayama, K. Kawahata, S. Inagaki, H. Sasao and K. Nagasaki,
Polarization of Electron Cyclotron Emission Spectra in LHD; July 1999
- NIFS-604 W. Wang, N. Nakajima, M. Okamoto and S. Murakami,
 δf Simulation of Ion Neoclassical Transport; July 1999
- NIFS-605 T. Hayashi, N. Mizuguchi, T. Sato and the Complexity Simulation Group,
Numerical Simulation of Internal Reconnection Event in Spherical Tokamak; July 1999
- NIFS-606 M. Okamoto, N. Nakajima and W. Wang,
On the Two Weighting Scheme for δf Collisional Transport Simulation; Aug. 1999
- NIFS-607 O. Motojima, A.A. Shishkin, S. Inagaki, K. Y. Watanabe,
Possible Control Scenario of Radial Electric Field by Loss-Cone-Particle Injection into Helical Device; Aug. 1999
- NIFS-608 R. Tanaka, T. Nakamura and T. Yabe,
Constructing Exactly Conservative Scheme in Non-conservative Form; Aug. 1999
- NIFS-609 H. Sugama,
Gyrokinetic Field Theory; Aug. 1999
- NIFS-610 M. Takechi, G. Matsunaga, S. Takagi, K. Ohkuni, K. Toi, M. Osakabe, M. Isobe, S. Okamura, K. Matsuoka, A. Fujisawa, H. Iguchi, S. Lee, T. Minami, K. Tanaka, Y. Yoshimura and CHS Group,
Core Localized Toroidal Alfvén Eigenmodes Destabilized By Energetic Ions in the CHS Heliotron/Torsatron; Sep. 1999
- NIFS-611 K. Ichiguchi,
MHD Equilibrium and Stability in Heliotron Plasmas; Sep. 1999
- NIFS-612 Y. Sato, M. Yokoyama, M. Wakatani and V. D. Puskovtsov,
Complete Suppression of Pfirsch-Schluter Current in a Toroidal $l=3$ Stellarator; Oct. 1999
- NIFS-613 S. Wang, H. Sanuki and H. Sugama,
Reduced Drift Kinetic Equation for Neoclassical Transport of Helical Plasmas in Ultra-low Collisionality Regime; Oct. 1999
- NIFS-614 J. Miyazawa, H. Yamada, K. Yasui, S. Kato, N. Fukumoto, M. Nagata and T. Uyama,
Design of Spheromak Injector Using Conical Accelerator for Large Helical Device; Nov.

1999

- NIFS-615 M. Uchida, A. Fukuyama, K. Itoh, S.-I. Itoh and M. Yagi,
Analysis of Current Diffusive Ballooning Mode in Tokamaks, Dec 1999
- NIFS-616 M. Tanaka, A.Yu. Grosberg and T. Tanaka,
Condensation and Swelling Behavior of Randomly Charged Multichain Polymers by Molecular Dynamics Simulations; Dec 1999
- NIFS-617 S. Goto and S. Kida,
Sparseness of Nonlinear Coupling, Dec 1999
- NIFS-618 M.M. Skoric, T. Sato, A. Maluckov and M.S. Jovanovic,
Complexity in Laser Plasma Instabilities Dec 1999
- NIFS-619 T.-H. Watanabe, H. Sugama and T. Sato,
Non-dissipative Kinetic Simulation and Analytical Solution of Three-mode Equations of Ion Temperature Gradient Instability, Dec 1999
- NIFS-620 Y. Oka, Y. Takeiri, Yu.I. Belchenko, M. Hamabe, O. Kaneko, K. Tsumori, M. Osakabe, E. Asano, T. Kawamoto, R. Akiyama,
Optimization of Cs Deposition in the 1/3 Scale Hydrogen Negative Ion Source for LHD-NBI System ,Dec 1999
- NIFS-621 Yu.I. Belchenko, Y. Oka, O. Kaneko, Y. Takeiri, A. Krivenko, M. Osakabe, K. Tsumori, E. Asano, T. Kawamoto, R. Akiyama,
Recovery of Cesium in the Hydrogen Negative Ion Sources;Dec. 1999
- NIFS-622 Y. Oka, O. Kaneko, K. Tsumori, Y. Takeiri, M. Osakabe, T. Kawamoto, E. Asano, and R. Akiyama,
H⁻ Ion Source Using a Localized Virtual Magnetic Filter in the Plasma Electrode: Type I LV Magnetic Filter; Dec 1999
- NIFS-623 M. Tanaka, S. Kida, S. Yanase and G. Kawahara,
Zero-absolute-vorticity State in a Rotating Turbulent Shear Flow;Jan. 2000
- NIFS-624 F. Leuterer, S. Kubo,
Electron Cyclotron Current Drive at $\omega \approx \omega_c$ with X-mode Launched from the Low Field Side; Feb. 2000
- NIFS-625 K. Nishimura,
Wakefield of a Charged Particulate Influenced by Emission Process of Secondary Electrons; Mar. 2000
- NIFS-626 K. Itoh, M. Yagi, S.-I. Itoh, A. Fukuyama,
On Turbulent Transport in Burning Plasmas,Mar 2000
- NIFS-627 K. Itoh, S.-I. Itoh, L. Giannone,
Modelling of Density Limit Phenomena in Toroidal Helical Plasmas,Mar 2000
- NIFS-628 K. Akaishi, M. Nakasuga and Y. Funato,
True and Measured Outgassing Rates of a Vacuum Chamber with a Reversibly Absorbed Phase;Mar 2000
- NIFS-629 T. Yamagishi,
Effect of Weak Dissipation on a Drift Orbit Mapping; Mar. 2000
- NIFS-630 S. Toda, S.-I. Itoh, M. Yagi, A. Fukuyama and K. Itoh,
Spatial Structure of Compound Dither in L/H Transition,Mar. 2000
- NIFS-631 N. Ishihara and S. Kida,

Axial and Equatorial Magnetic Dipoles Generated in a Rotating Spherical Shell; Mar 2000

- NIFS-632 T. Kuroda, H. Sugama, R. Kanno and M. Okamoto,
Ion Temperature Gradient Modes in Toroidal Helical Systems; Apr. 2000
- NIFS-633 V.D. Pustovitov ,
Magnetic Diagnostics: General Principles and the Problem of Reconstruction of Plasma Current and Pressure Profiles in Toroidal Systems; Apr. 2000
- NIFS-634 A.B. Mikhailovskii, S.V. Kononov, V.D. Pustovitov and V.S. Tsypin,
Mechanism of Viscosity Effect on Magnetic Island Rotation; Apr. 2000
- NIFS-635 H. Naitou, T. Kuramoto, T. Kobayashi, M. Yagi, S. Tokuda and T. Matsumoto,
Stabilization of Kinetic Internal Kink Mode by Ion Diamagnetic Effects; Apr. 2000
- NIFS-636 A. Kageyama and S. Kida,
A Spectral Method in Spherical Coordinates with Coordinate Singularity at the Origin; Apr. 2000
- NIFS-637 R. Horiuchi, W. Pei and T. Sato,
Collisionless Driven Reconnection in an Open System; June 2000
- NIFS-638 K. Nagaoka, A. Okamoto, S. Yoshimura and M.Y. Tanaka,
Plasma Flow Measurement Using Directional Langmuir Probe under Weakly Ion-Magnetized Conditions; July 2000
- NIFS-639 Alexei Ivanov,
Scaling of the Distribution Function and the Critical Exponents near the Point of a Marginal Stability under the Vlasov-Poisson Equations; Aug. 2000
- NIFS-640 K. Ohi, H. Naitou, Y. Tauchi, O. Fukumasa,
Observation of the Limit Cycle in the Asymmetric Plasma Divided by the Magnetic Filter; Aug. 2000
- NIFS-641 H. Momota, G.H. Miley and J. Nadler,
Direct Energy Conversion for IEC Propulsions; Aug. 2000
- NIFS-642 Y. Kondoh, T. Takahashi and H. Momota,
Revisit to the Helicity and the Generalized Self-organization Theory; Sep. 2000
- NIFS-643 H. Soltwisch, K. Tanaka,
Changes of the Electron Density Distribution during MHD Activity in CHS; Sep. 2000
- NIFS-644 Fujisawa, A., Iguchi, H., Minami, T., Yoshimura, Y., Sanuki, H., Itoh, K., Isobe, M., Nishimura, S., Tanaka, K., Osakabe, M., Nomura, I., Ida, K., Okamura, S., Toi, K., Kado, S., Akiyama, R., Shimizu, A., Takahashi, C., Kojima, M., Matsuoka, K., Hamada, Y., Fujiwara, M.,
Observation of Bifurcation Property of Radial Electric Field Using a Heavy Ion Beam Probe; Sep. 2000
(IAEA-CN-77/ EX6/6)
- NIFS-645 Todo, Y., Watanabe, T.-H., Park, H.-B., Sato, T.,
Fokker-Planck Simulation Study of Alfvén Eigenmode Burst; Sep. 2000
(IAEA-CN-77/ TH6/2)
- NIFS-646 Muroga, T., Nagasaka, T.,
Development of Manufacturing Technology for High Purity Low Activation Vanadium Alloys; Sep. 2000
(IAEA-CN-77/ FTP1/09)