

author	title	journal	Vol.	No.	pp	year
Takeiri Y.	Negative Ion Source Development for Fusion Application	Review of Scientific Instruments	Vol. 81	No. 2	02B114-	-2010
Takeiri Y., Tsumori K., Ikeda K., Osakabe M., Nagaoka K., Oka Y., Asano E., Kondo T., Sato M., Shibuya M., Komada S., Kaneko O.	Recent Progress in the Negative-Ion-Based Neutral Beam Injectors in Large Helical Device	AIP conference proceedings	Vol. 1097	No. 1	470-479	-2009
Takeiri Y., Yokoyama M., Nagaoka K., Ida K., Kubo S., Shimozuma T., Funaba H., Osakabe M., Ikeda K., Tsumori K., Oka Y., Yoshinuma M., Morita S., Goto M., Narihara K., Yamada I., Tanaka K., Kaneko O., Komori A.	Improvement of ion confinement in core electron-root confinement (CERC) plasmas in Large Helical Device	Plasma and Fusion Research	Vol. 3	No. Special Issue	S1031-1-S1031-5	-2008
Takeiri Y., Komori A., Yamada H., Kawahata K., Muto T., Ohyabu N., Kaneko O., Imagawa S., Nagayama Y., Watanabe K., Shimozuma T., Ida K., Sakamoto R., Kobayashi M., Sagara A., Nagaoka K., Yoshinuma M., Sakakibara S., Suzuki Y., Yokoyama M., Sudo S., Motojima O.	Stability and Confinement Studies of High-Performance NBI Plasmas in the Large Helical Device Toward a Steady-State Helical Fusion Reactor	Plasma and Fusion Research	Vol. 3	No. Special Issue	S1001-1-S1001-8	-2008
Takeiri Y., Kaneko O., Tsumori K., Fantz U., Ikeda K., Nagaoka K., Osakabe M., Oka Y., Asano E., Kondo T., Sato M., Shibuya M., Komada S.	High-Power Negative Ion Sources for Neutral Beam Injectors in Large Helical Device	AIP conference proceedings	Vol. 925	No.	211-223	-2007
Takeiri Y., Morita S., Ikeda K., Ida K., Kubo S., Yokoyama M., Tsumori K., Oka Y., Osakabe M., Nagaoka K., Shimozuma T., Yoshinuma M., Narihara K., Funaba H., Goto M., Inagaki S., Tanaka K., Kaneko O., Komori A., Motojima O.	Confinement improvement in high-ion temperature plasmas heated with high-energy negative-ion-based neutral beam injection in the Large Helical Device	Nuclear Fusion	Vol. 47	No. 9	1078-1085	-2007
Takeiri Y.	地上に太陽を ヘリオトロン型核融合炉の実現を目指して	化学と工業(Chemistry & Chemical Industry)	Vol. 59	No. 9	968-971	-2006
Takeiri Y., Kaneko O., Tsumori K., Oka Y., Ikeda K., Osakabe M., Nagaoka K., Asano E., Kondo T., Sato M., Shibuya M.	High-power and long-pulse injection with negative-ion-based neutral beam injectors in the Large Helical Device	Nuclear Fusion	Vol. 46	No. 6	S199-S210	-2006
Takeiri Y., Ikeda K., Oka Y., Tsumori K., Osakabe M., Nagaoka K., Kaneko O., Asano E., Kondo T., Sato M., Shibuya M., Komada S.	Characteristics of long-pulse negative-ion source in the neutral beam injector of Large Helical Device	Review of Scientific Instruments	Vol. 77	No. 3	03A523-1-03A523-4	-2006

Takeiri Y., Morita S., Tsumori K., Ikeda K., Oka Y., Osakabe M., Nagaoka K., Goto M., Miyazawa J., Masuzaki S., Ashikawa N., Yokoyama M., Murakami S., Narihara K., Yamada I., Kubo S., Shimozuma T., Inagaki S., Tanaka K., Peterson B., Ida K., Kaneko O., Komori A.	High-ion temperature experiments with negative-ion-based neutral beam injection heating in Large Helical Device	Nuclear Fusion	Vol. 45	No. 7	565-573	-2005
Kaneko O., Yokoyama M., Yoshinuma M., Nagaoka K., Ida K., Sakamoto R., Akiyama T., Ashikawa N., Chikaraishi H., Emoto M., Funaba H., Goncharov P., Goto M., Goto T., Hamaguchi S., Ichiguchi K., Ido T., Igami H., Ikeda K., Imagawa S., Isobe M., Itoh K., Iwamoto A., Kanno R., Kasahara H., Kasuya N., Kato D., Kawahata K., Kobayashi M., Kubo S., Kumazawa R., Maekawa R., Masuzaki S., Mito T., Miyazawa J., Mizuguchi N., Morisaki T., Morita S., Motojima G., Muto S., Muto T., Nagayama Y., Nakajima N., Nakamura Y., Nakanishi H., Narihara K., Narushima Y., Nishimura K., Nishiura M., Obana T., Ohdachi S., Ohyabu N., Osakabe M., Ozaki T., Peterson B., Sagara A., Saito K., Sakakibara S., Satake S., Sato K., Seki T., Shimizu A., Shimozuma T., Shoji M.,	Extension of Improved Particle and Energy Confinement Regime in the Core of LHD Plasma	Plasma and Fusion Research	Vol. 4	No.	027-1-027-9	-2009
Kaneko O., Takeiri Y., Tsumori K., Oka Y., Osakabe M., Ikeda K., Nagaoka K., Kawamoto T., Kondo T., Sato M.,	High Performance Operation of Negative-Ion-Based Neutral Beam Injection System for the Large Helical Device				FT/P5-4	2006
Kaneko O., Takeiri Y., Tsumori K., Oka Y., Osakabe M., Ikeda K., Nagaoka K., Kawamoto T., Kondo T., Sato M.,	Status of negative-ion-based neutral beam injectors in LHD	AIP conference proceedings	Vol. 763		17-22	2005
Kaneko O.	Special Topic Article :NBI:Progress in Physics and Engineering toward Fusion Reactors 2.Impact of High Energy Neutral Beam Injection in LHD Plasma	プラズマ・核融合学会誌 (Journal of Plasma and Fusion Research)	Vol. 81	No. 10	767-772	-2005
Tsumori K., Osakabe M., Kaneko O., Takeiri Y., Nagaoka K., Oka Y., Ikeda K., Shibuya M., Asano E., Komada S., Kondo T., Sato M.	Neutral beam injection with an improved accelerator for LHD	Review of Scientific Instruments	Vol. 79	No. 202C107-1	02C107-1-02C107-3	-2008

Tsumori K., Takeiri Y., Nagaoka K., Ikeda K., Osakabe M., Oka Y., Kaneko O., Shibuya M., Kondo T., Sato M., Asano E.	High Power Neutral Beam Injection in LHD	Plasma Science and Technology	Vol. 8	No. 1	24–27	-2006
Osakabe M., Murakami S., Yoshinuma M., Ida K., Whiteford A., Goto M., Kato D., Kato T., Nagaoka K., Tokuzawa T., Takeiri Y., Kaneko O.	Fast ion charge exchange spectroscopy measurement using a radially injected neutral beam on LHD	Review of Scientific Instruments	Vol. 79	No. 10	10E519–1–10E519–4	-2008
Osakabe M., Yamamoto S., Toi K., Takeiri Y., Sakakibara S., Nagaoka K., Tanaka K., Narihara K.	Experimental observations of enhanced radial transport of energetic particles with Alfv?n eigenmode on the LHD	Nuclear Fusion	Vol. 46	No. 10	S911–S917	-2006
Kenichi NAGAOKA, Yasuhiko TAKEIRI, Katsumi IDA, Mikiro YOSHINUMA, Shigeru MORITA, Naoki TAMURA, Takeshi IDO, Akihiro SHIMIZU, Katsunori IKEDA, Masaki OSAKABE, K. TSUMORI, Haruhisa NAKANO and LHD experiment group	Parameter Regime of Ion Internal Transport Barrier in Large Helical Device	Plasma Fusion Res. SERIES.	accepted			
K. NAGAOKA, Y. TAKEIRI, S. MORITA, K. IDA, M. YOKOYAMA, M. YOSHINUMA, H. FUNABA, S. MURAKAMI, T. MINAMI, K. TANAKA, T. IDO, A. SHIMIZU, K. IKEDA, M. OSAKABE, K. TSUMORI, O. KANEKO, and LHD EXPERIMENT GROUP	ION HEATING EXPERIMENTS AND IMPROVEMENT OF ION HEAT TRANSPORT IN LHD	FUSION SCIENCE AND TECHNOLOGY	VOL. 58			2010
Nagaoka K., Kobayashi S., Hosaka K., Yamamoto S., Mizuuchi T., Osakabe M., Takeiri Y., Nagasaki K., Okada H., Kondo K., Hanatani K., Sano F.	Observation of Anomalous Fast Ion Transport Induced by MHD Activities in Heliotron J	Journal of Plasma and Fusion Research SERIES	Vol. 8	No.	1100–1103	-2009
Nagaoka K., Watanabe K., Osakabe M., Takeiri Y., Minami T., Toi K., Isobe M., Nishiura M., Ito T., Ogawa K.	Fast Ion Measurement Using a Hybrid Directional Probe in the Large Helical Device	Review of Scientific Instruments	Vol. 79	No. 10	10E523–1–10E523–3	-2008
Nagaoka K., Isobe M., Osakabe M., Watanabe K., Takeiri Y.	A Phenomenological Probe Model of Fast Ion Measurement Using a Hybrid Directional Probe	Contributions to Plasma Physics	Vol. 48	No. 5	480–484	-2008
Nagaoka K., Isobe M., Toi K., Goto K., Ito T., Todo Y., Osakabe M., Ohshima S., Shimizu A., Fujisawa A., Nakano H., Takeiri Y., Watanabe K., Akiyama T., Yoshimura Y., Suzuki C., Nishimura S., Matsuoka K., Okamura S.	Local observations of fast ion responses to energetic particle modes using a directional probe in the Compact Helical System (CHS)	Nuclear Fusion	Vol. 48	No. 8	084005–1–9	-2008

Nagaoka K., Yokoyama M., Takeiri Y., Ida K., Yoshinuma M., Matsuoka S., Funaba H., Morita S., Muto T., Seki T., Ikeda K., Osakabe M., Tsumori K., Oka Y., Kaneko O.	Ion Heating Experiments Using Perpendicular Neutral Beam Injection in the Large Helical Device	Plasma and Fusion Research	Vol. 3	No. Special Issue	S1013-1–S1013-5	-2008
Nagaoka K., Isobe M., Toi K., Shimizu A., Fujisawa A., Ohshima S., Nakano H., Osakabe M., Todo Y., Akiyama T., Nagashima Y., Suzuki C., Nishimura S., Yoshimura Y., Matsuoka K., Okamura S.	Radial Transport Characteristics of Fast Ions Due to Energetic-Particle Modes inside the Last Closed-Flux Surface in the Compact Helical System	Physical Review Letters	Vol. 100	No. 6	065005-1–4	-2008
Nagaoka K., Ikeda K., Osakabe M., Takeiri Y., Oka Y., Tsumori K., Kaneko O.	Simultaneous Measurements of Proton Ratio and Beam Divergence of Positive-ion-based Neutral Beam in the Large Helical Device	Plasma and Fusion Research	Vol. 2	No. Special Issue	S1051-1–S1051-3	-2007
Nagaoka K., Isobe M., Toi K., Goto K., Osakabe M., Akiyama T., Suzuki C., Nishimura S., Takeiri Y., Watanabe K., Matsuoka K., Okamura S.	Calibrations of Fast Ion Flux Measurement Using a Hybrid Directional Probe	Plasma and Fusion Research	Vol. 2	No. Special Issue	S1092-1–S1092-4	-2007
Nagaoka K., Watanabe K., Ida K., Yoshinuma M., Kobuchi T., Narushima Y., Toi K., Isobe M., Shimizu A., Minami T., Akiyama T., Matsuoka K., Okamura S., Ikeda K., Osakabe M., Tsumori K., Oka Y., Takeiri Y., Kaneko O.	Z Dependence of Neutral Beam Driven Current in the Large Helical Device and the Compact Helical System	Journal of the Korean Physical Society	Vol. 49	No. 6(S)	92–95	-2006
Nagaoka K., Isobe M., Shinohara K., Osakabe M., Shimizu A., Okamura S.	Energetic Ion Measurements Using a Directional Probe	Plasma and Fusion Research	Vol. 1	No.	005-1–005-2	-2006
Ikeda K., Nagaoka K., Takeiri Y., Osakabe M., Tsumori K., Kaneko O.	Recent Progress of Neutral Beam Injector and Beam Emission Diagnosis in LHD	Plasma Science and Technology	Vol. 11	No. 4	452–455	-2009
Ikeda K., Nagaoka K., Takeiri Y., Fantz U., Kaneko O., Osakabe M., Oka Y., Tsumori K.	Optical measurement of Cs distribution in the large negative ion source	Review of Scientific Instruments	Vol. 79	No. 2	02A518-1–02A518-4	-2008
Ikeda K., Fantz U., Nagaoka K., Takeiri Y., Osakabe M., Tsumori K., Kaneko O., Oka Y.	Observation of Hydrogen and Cesium Spectra in a Negative Ion Source for a Neutral Beam Injector using a Multi-channel Spectrometer	Plasma and Fusion Research	Vol. 2	No. Special Issue	S1047-1–S1047-4	-2007
Ikeda K., Osakabe M., Whiteford A., Takeiri Y., Kaneko O., Kato T., Murakami I., Nagaoka K., Oka Y., Summers H., Tsumori K.	Beam Emission Diagnostic for Estimating Neutral Beam Attenuation	Fusion Science and Technology	Vol. 51	No. 2T	283–285	-2007
Ikeda K., Nagaoka K., Osakabe M., Takeiri Y., Kaneko O., Oka Y., Tsumori K.	Measurement of Relative Flux of Fractional-Energy Emissions Using Beam Emission Diagnostic	Fusion Science and Technology	Vol. 51	No. 2T	286–288	-2007

Ikeda K., Osakabe M., Takeiri Y., Morita S., Kaneko O., Nagaoka K., Oka Y., Tsumori K.	Characteristics of Beam Attenuation in High-Temperature Plasma with High-Z Discharge in LHD	Journal of the Korean Physical Society	Vol. 49	No.	S96-S99	-2006
Nakano H.	Summary of Doctoral Thesis: Fluctuation Distribution Measurements Using a Heavy Ion Beam Probe and Formulation of a Method to Evaluate Path Integral Effect	プラズマ・核融合学会誌 (Journal of Plasma and Fusion Research)	Vol. 83	No. 10	846-849	-2007
Nakano H., Fujisawa A., Shimizu A., Ohshima S., Iguchi H., Yoshimura Y., Minami T.	Reconstruction method of local density fluctuation for heavy ion beam probe measurements	Review of Scientific Instruments	Vol. 78	No. 6	063502-1 -7	-2007
H. Nakano, M. Osakabe, K. Tsumori, M. Sato, M. Shibuya, K. Ikeda, K. Nagaoka, O. Kaneko, E. Asano, T. Kondo, S. Komada, and Y. Takeiri	Characteristics of 80 keV positive ion source for Large Helical Device	Review of Scientific Instruments	Vol. 81	Issue 2	02B116-1 - 02B116-4	2009
H. Nakano, K. Tsumori, K. Nagaoka, M. Osakabe, K. Ikeda, O. Kaneko, E. Asano, T. Kondo, M. Sato, M. Shibuya, S. Komada, and Y. Takeiri	Cavity ring-down spectroscopy for H- density measurement on 1/3 negative ion source of LHD-NBI				P2-67	2009
H. Nakano, K. Kanamoto, S. Yoshimura, M.Y. Tanaka,	Characteristics of Spontaneous Magnetic Fluctuation in ECR Plasma in Linear Device				AWM.P2-129	2008
H. Nakano, T. Ido, A. Shimizu, M. Nishimura, S. Kato, Q. Tsukada, M. Yokota, A. Nishizawa, Y. Hamada, and LHD group	Consideration of density fluctuation measurement using heavy ion beam probe on large helical device				PI-083	2007
H. Nakano, A. Fujisawa, A. Shimizu, S. Ohshima, T. Minami, Y. Yoshimura, S. Okamura and K. Matsuoka	Evaluation Method of Local Density Fluctuation Using Heavy Ion Beam Probe in CHS				VP1. 00063	2006
H. Nakano, A. Fujisawa, A. Shimizu, S. Ohshima, H. Iguchi, T. Minami, Y. Yoshimura, K. Nagaoka, K. Matsuoka, S. Okamura, and CHS group	Reconstruction Method to Local Density Fluctuation in Measurements Using Heavy Ion Beam Probe in CHS				O14	2006